Porcelain has come of age

Porcelain paving has been one of the great success stories of patio paving over the past few years. The only issue has been installation using conventional Type 1 sub-base material where bonding of the paving has been hard to achieve. Now the solution is as easy as 1-2-3.

* *

10mm Porcelain slab pre-bonded to base slab

Beautiful GeoCeramica® porcelain surface slabs are permanently and inseparably bonded to a cementitious slab which offers excellent stability, strength, drainage and adhesion.

Cementitious base slab providing strength, stability, drainage and mortar key

Integrated spacer nibs

Each pre-bonded flag unit features integrated spacer nibs on all four sides to ensure easy, rapid, accurate laying and installation.

Now GeoCeramica® makes it easy to install porcelain paving over a conventional Type 1 sub-base, for perfect, durable results, every time.

GeoCeramica®

Type '

50mm sand

When installing GeoCeramica® as a rigid pavement, add cement to the laying course sand and use a polymerised sand for jointing.



Stunning contemporary paving giving all the benefits of porcelain paving with its crisp beauty and minimal maintenance but now easy to install using traditional UK construction methods on patios and driveways*.

Features

- ✓ Refined, elegant aesthetics
- ✓ Durable and easy to maintain
- ✓ Simple to install using traditional methods
- ✓ No staining, moss, algae or lichen growth
- ✓ Resistant to freeze/thaw cycles
- ✓ Suitable for patios and driveways*



Colour range



Marmostone Taupe

Bluestone Noir Puro